
Date	Bearin	eiver ope lance with g error VOR 2	Place	Signature		DATE 19	REMARKS Enter here general data with reference to "Line" and "Periodic" inspections — Rigging Changes — Alterations — Repairs and changes in propeller or engine — as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.
19	M	10	84	FIFT	7/	795.	7 Changed of 1 & Litter Servered
					3		huk CKOK For Showpat Air Com 1/21
13	Dec	5	74	EUm	181	57.5	Chamsen L+ + AT MAEN + NOC
	-			DIII	100	1110	RESERVED LA BRAKE AND Changes d's
							Blend Brakes A SENNIE CO BAPILLE MASTE
							month and the sent of fam Country of the Country
							Dated WO No
							Signed
				1993		117	

			AIRCRAFT	LOG			
DATE	FLIGHT FROM	то	NATURE OF FLIGHT	DURATION OF FLIGHT	ACCUMUL TOTAI FLYING T HOURS	IOTHS	SIGNATURE O
19 9-3-82 9-3-82	Tubed Jugar Japlaced	Tachometer this (aircraft) (on with a (annual) (sto be in airworthy Dated Signed Son)	Total Time Total			2	Gland 31)
CARRY F	ORWARD THE TOTAL A	CCUMULATED FLYING	S TIME TO THE TOP OF NE	XT PAGE			



iı		ance wi	h FAR 91	. 25	DATE	Enter here	-	The first of		TER SCALE ERROR		244
Date Bearing error Place Signature					19	and change	PART NO	3252013	-06	O SERIAL NO.	403	344
	10111					1 CERTIFY	-		ALTI	METER PRESSURE		1
						EQUIPMEN"	TEST PT (FT)	INDICATOR READ- INGS AT + 25 ° C	TEST PT (FT)	INDICATOR READ- INGS AT + 25 ° C	TEST PT (FT)	INDICATOR INGS AT +
					500	BEEN PER	-1000	+20	8,000	0	30,000	0
			4	Party	22/11/19	TO COMPL	0 0	-20	10,000	HO	35,000	+60
					4534	rested of	500	-10	12,000	0	40,000	
			25	(1)49-41	10 7 50	E (A). TH	1000	-10	14,000	+10	45,000	
				1777 P. W. Mary	INTER	1-2	1500	HO	16,000	70	50,000	
						SHREVEPO	2000	+20	18,000	-40	55,000	
			11/2 2			COUNTY OF	3000	+20	20,000	-30	60,000	
_						AIRCRAFT	4000	+20	22,000	-30	70,000	
		1114	-			Jon	6000	+20	25,000	-58	80,000	
1/23	3/86	FH	m zı	194,2			Giu	olony a Carmer		ND TO COMPLY WITH DRT AIR CENTER, INC	h.l.	
Re	form	ud	VOR	aligna	ent & i	tests in	A/C.		AIRCRAFT	TOTAL TIME	86,6	71-15
#	X VO	R	= 0	errar	#20	DR= Ø	erro		Date	Meltonto	123	76011
Ro	beck	13	Gall	By RJ31	1880	Shrevegor	fair C	entry fue	*CONTRACTOR OF THE PARTY OF THE	and the second second second second		(MANAGE)
					1. 11.		472	1. 17				

Days

1-29-75 AD 74-20-10 ELT INSP.

1-29-75 AD 70-14-7 PUEL PUMP SCREW INSP.

1-29-75 AD 70-14-7 PUEL PUMP SCREW INSP.

1-29-25 CHECKED AD 74-26-09 DDESN'T APPLY (MAGSBENDIX)

3-19-75 AD 79-14-8 DNSP. OF FUEL + OIL LINES

5-7-75 9W AD 73-14-8 INSP. OF FUEL + OIL LINES

6-19-75 CW AD 72-14-8 TNSP. OF FUEL + OIL LINES

8-12-75 CW AD 72-14-8 TNSP. OF FUEL + OIL LINES

8-12-75 CW AD 72-14-8 TNSP. OF FUEL + OIL LINES

8-12-75 CW AD 72-14-8 TNSP OF FUEL + OIL LINES

12-4-75 CW AD 72-14-8 TNSP OF FUEL + OIL LINES

12-4-75 CW AD 73-14-8 TNSP OF FUEL + OIL LINES

12-4-75 CW AD 73-14-8 TNSP OF FUEL + OIL LINES

12-4-75 CW AD 73-23-07 EMERGENCY EXIT WINDOW - Service litter ME

2-6-76 CW AD 72-14-8 DWDLOCK PIN+SET SCREW TUSP.

2-6-76 S.L. # ME76-2 - WIND TICK PIN+SET SCREW TUSP.

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS


2-6-76 CW AD 72-14-8 INSP OF FUEL + OIL LINES 851.7 HRS

2-6-76 CW AD

MEMORANDA


Date	
6-11-76	72-14-8 IMSP. OF FUEL + OIL LINES ID
6-11-76	196-08-02 STROBE LIGHTS INSP. REPLACED COVER PLATERS
8-3-76	72-14-8 TUSP OF FUEL +OIL LINES aboute AiPai
11-17-76	12 14-8 Prosp of Flex Fuel toil lives & Horto
9-6-77	72-14-8 145P OF FLEX FUEL 4 OIL 41085 R.5 1340 RO
11-2-79	72-14-08 INSP. FLEX FUEL & OIL LINES HORBS 1425 & DUE 1475,5 D. BOUMAN 287563
4-30-81	72-14-8 insp of flex hose 25545. of Alex & ASP22253721A
	72-03-07 GEAR FAILUVEL , N/A this SIND
	73-07-07 Fuel Line wiring charting, N/A this 5/A
	78-01-02 ALT. AIR, NIA +4:8 \$N
	74-20-01 GEAR TRUNNION, MIA THIS SIN
	85-08-02 NA Due to Model
AND SOME	
Marie I	
The state of the s	

MAINTENANCE RECORD AUTHORIZED SIGNATURE CERTIFICATE TYPE & NUMBER DESCRIPTION OF THE WORK PERFORMED TOTAL TIME IN SERVICE DATE HOURS 10ths 19_ Total Time 25 I certify that this (aircraft) (anima) has been inspected in accordance with a (annual) (100 mas) inspection and was determined to be in airworthy condition. Dated W.O. No. TA 438968900 Signed Homie of



No. of the last of		15		
DATE	TOTAL T IN SERV		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNA CERTIFICATE TY
1987	HOURS	10ths		& NUMBER
4-8	2625.	0	Replaced both main wheel tires. (Goody ear Flight Custum 6:50x10) Repacked main wheel bearings. Shimmed torque link on left main year to remove play. Jamy B James A4P. 437701244	
			Total time Lachomater Lecrity may this (aircraft) (engine) has been inspected to accord	
6-1-8	2681.5		Replaced elevator trim tab actuator PN 1060074-1 Replaced starting vibrator, Bendix PN 10-357487-241	
Trans.				
				Section 2

_				
DATE	TOTAL T		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATU CERTIFICATE TYPE & NUMBER
_ 19.87	HOURS	10ths		
	28201	,	C/W ANNUAL INSP. PER CESSNA MAINT. MANUAL INSTALLED NEW ECT BATTERY (GOOD TILL SEPT. 89. REMOVED PLRY IN MILL SISSORS RESERVED L/H TIP THUR FILLER GASKET. PREFORMED	
			RETRACT & EMERGENCY EXTENSION TEST.	
-	4		Tachamatas Total Time 2820. /	· ·
			Tachometer I certify that this (aircraft) (engine) has been inspected in accordance with a (annual) (190 hour) inspection and was determined to be in airworthy condition.	
14.8			Dated 2 7-87 W.O. No. 0613 Signed 5. Denne Il 370521634	
30	1 2 2 3		THE PROJECT OF THE PR	PRINCIPLE AND
			TRANSFER ALCOUNTY OF THE PROPERTY OF THE PROPE	




ALEXANTY.		ATTACK		
DATE	TOTAL T		DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATI CERTIFICATE TYPI & NUMBER
1988	HOURS	10ths		
5-16	3637.	3	C/W ANNUAL INSP. REPLACE MILIES INST. AIR FILTER LUBED PULLEYS & CONTROLS. PREFORMED RETRICT TEST & EMERGEORY EXTENDED TEST.	
			Tachometer I certify that this (aircraft) (engine) has been inspected in accordance with a (annual) (100 hour) inspection and was determined to be in airworthy condition. Dated 5-16-88 W.O. No. D596 Signed 2- D390531634	
7-23	3	TOTAL TOTAL	Cho AD 87-21-02 BY INSTALLING (4 ER.) ANT: TURBINE FLEL CAP KITS PINSIL-008,516-006	6. Demo A493905216

		MAINTENANCE RECORD	
DATE	TOTAL TIME	DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATU CERTIFICATE TYPE NUMBER
19	нои	AIRCRAFT LOGBOOK ENTRY - N69704 -CESSNA 3109 # 09	30-
		DATE 8-18-F8 TACH	CE
		WO NO 42327 HOBBS 313 40	J Di
	1	Removed ARNAU R-20 and installed ARNAU R-30A	\$
		Removed ARNAU R-20 and installed ARNAU R-30A leron. See 7.A.A. 337 or Weight & Balance Revision Stef. 8/18/88 for further Sitails.	
		1 dill 2-110.9	
		New CG = 37.08 New Mom. = 137613.1	
8 18	31	for Shrevegort air Center, Inc. CR\$ 211-14 Robert B Galloge CR3315880	
		hobital first	
17/87			
041			
	13.0		

MAINTENANCE RECORD AUTHORIZED SIGNATURE, CERTIFICATE TYPE & NUMBER TOTAL TIME IN SERVICE DATE DESCRIPTION OF THE WORK PERFORMED 1988 HOURS 10ths INSTALLED NEW N/W TIRE, BERRINGS, & RACES, BALANCED A47340521434 WHEEL. INSTALL NEW COMPRSS. 3196,6 LOG BOOK ENTRY Resealed RH brake califer & blead brake ops checked good. end-MAINTENANCE RELEASE The Aircraft and/or component identified above was repaired and inspected in accordance with current Federal Aviation Regulations and was found air worthy for return to service. W. 0. # 14514 Ir. Meter 3213.2 Date: F2.84 Signed: Anglas Wasse. Memphis Aero Corporation Repair Station # FKWR938D

THE PARTY OF THE P	10000		TENANCE RECORD	
DATE	TOTAL IN SER		DECORPTION OF THE WAY	AUTHODIZED CIONA
19.87	HOURS	10ths	DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNA CERTIFICATE TY & NUMBER
1-6	3225	5	INSTALLED NEW FAM & PRESSURE SWITCH. INSTALLED OH ELT GALGE PIN 46155. VELLOW TAG IN BACK OF	6. Danco
	0000	0	LOOK. NOIRIED YH WRIGHT DE FLUI DELLE	A \$73905216
4-13	71.5		WE HOUSE WILLIAM TO THE SPINNER KIN PLOP-	6 Deno P\$ 13905216
5-23	100.0	00 10 10 10 10 10 10 10 10 10 10 10 10 1	REPLACED SHI BRAKE LINNINGS, YA TIRE, ROTAFING BEACONS LAMP, IND. AIR FICTIONS, BUSNING IN YALDN GEAR, ORINGS THE BRAKE. PREFORMED RETURNS & EMBRISHED EXTENSION THAT	
AT IN	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	ESIS VAN	Tachometer	

			IVIA	IN I ENAMOL III				
DATE	TOTAL TIME					12	2-27	1-89
	IN SERVICE				ALTIME	TER SCALE ERROR		
		DATE 12-2	PART NO	9925132520	013060	SERIAL NO.	3081	12
	30.	W.O. No. A317				METER PRESSURE		
DATE	TOTAL TIME IN SERVICE		TEST PT (FT)	INDICATOR READ- INGS AT + 25 ° C	TEST PT (FT)	INDICATOR READ- INGS AT + 25 ° C	TEST PT (FT)	INDICATOR READ- INGS AT + 25 ° C
984	HOURS 10th	I CERTIFY THAT THE	-1000	-5	8,000	-20	30,000	+40
141	CERTIFY THAT T	BEEN PERFORMED.	00	-20	10,000	-35	35,000	+150
	DUIPMENT TESTS	FEET 01/2-27	500	-20	12,000	-45	40,000	
	BEEN PERFORMED	TO COMPLY WITH	1000	-10	14,000	-60	45,000	
	HEET ON 6/4/89.	1181ED ON /2-	1500	-5	16,000	-45	50,000	
	TO COMPLY WITH	E (A). THE AUTOR	2000	-10	18,000	-60	55,000	X
	E (A). THE AUTO	12-29-5	3000	-15	20,000	-60.	60,000	
	64/85	Roadrung	4000	-15	22,000	-60	70,000	
	Service 1	AIRCRAFT TOTAL	6000	-30	25,000	-10	80,000	
	SHREVEPORT AIR	Halton			THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN 1 WHEN THE PER			
	PORAFT TOTAL							
	Kolnito					- 1 17 PH 0	1	K da Se
		1/21/2	17/1	PINNI	100	O O B FE	Land Control	INSPE
		INSTAL	10	1 2 2				E
1	10-166.4	TUSTAL SID		agran creaters	Regard			
0-1	0 100							



MAINTENANCE RECORD AUTHORIZED SIGNA CERTIFICATE TY & NUMBER TOTAL TIME IN SERVICE DESCRIPTION OF THE WORK PERFORMED DATE 1989 INSTALLED Of TURN COORDINATOR 4N 796334 SEE 10ths HOURS 9-26 YELLOW TAG. INSTALLED OF TURN COORDINATOR \$ N841.79 SEE 2690 YELLOW TAL INSTALLED HET 3/N 89157U. SEE YELLOW THO. 329. 2-13-90 532.0

DATE	TOTAL 1	TIME VICE	DESCRIPTION OF THE WORK PERFORMED	AUTHORIZED SIGNATURE CERTIFICATE TYPE & NUMBER
1990	HOURS	10ths	CXED CABLES, LUBE DULLEYS & CONTROLS. REPLACED	
6-11	418.	0	TORIN INSTALLED NEW INDUCTION AND FILTERS. YRETORD	4ã0
			PAINTED LEADING EVERS OF WINDER APRIZA LOWER, INSTALLED ELT BATTERY. DUE APRIZA	
233			Tachometer this (aircraft) (engine) has been inspected in accordance	
1202	3.8	*	this (aircraft) (engine) has been inspection and was determined with a (annual) (100 hour) inspection and was determined to be in airworthy condition. Dated 6 90 W.O. No. Signed 6 Vanco FABGASSICO 246	
NE TO			V	1111188-12 71111710

N69704 S/N 0930

21 July 94 Hour Meter 1253.0 Reference W.O. 4627

Replaced seals in left main gear strut.

ATLANTIC AVIATION COPP HOUSTON DIVISION C.R.S. WZ1R804K

DATE	TOTAL TIME IN SERVICE	DESCRIPTION OF THE WORK PERFORMED	AUTHORIZEL CERTIFICA & NUN
19	HOURS 10ths		Q NUN
		T LOGBOOK ENTRY ————————————————————————————————————	
	W.O. No	HOBBS I CERTIFY THAT THE ALTIMETER SYSTEM AND ALTITUDE REPORTING EQUIPMENT TESTS AND INSPERDADIBUNION AVIATION BY F. A. R. 91.171 HAVE BEEN PERFORMED. THE RIST # RIPARB10H ALTIMETER SYSTEM TO THE RIGHT HAND ALTIMETER WAS TESTED TO FEET ON AND FOUND TO COMPLY WITH F. A. R. 43 APPD. E (b). THE STATIC SYSTEM WAS TESTED ON AND FOUND TO COMPLY WITH F. A. R. 43 APPD. E (b). THE AUTOMATIC PRESSURE REPORTING SYSTEM WAS TESTED ON AND FOUND TO COMPLY WITH F. A. R. 43 APPD. E (b). THE AUTOMATIC PRESSURE REPORTING SYSTEM WAS TESTED ON AND FOUND TO COMPLY WITH F. A. R. 43 APPD. E (c). ROAD RUNNER AVIATION - CRS. RTARB10H AIRCRAFT TOTAL TIME AUTH. SIGNATURE CERT. NO. & TYPE Std. 8524-90	ON