

Left

ENGINE DESCRIPTION

MANUFACTURER Teledyne CONTINENTAL MODEL I0470 V10

SERIAL NUMBER 171055-R DATE OF MANUFACTURE _____

MAXED BHP _____ RPM _____ MANIFOLD PRESSURE _____

FUEL REQUIRED OCTANE/PERFORMANCE _____

REGISTERED OWNER _____

STREET & NO. _____

CITY, STATE, ZIP _____

REGISTERED OWNER _____

STREET & NO. _____

CITY, STATE, ZIP _____

INSPECTION & MAINTENANCE RECORD

SIGNATURE
NO.

DATE

TOTAL
TIME

INSPECTION OR MAINTENANCE PERFORMED
AGENCY & CERTIFICATE NO.

New Cyl. kit's
installed -

TOTAL 1600.7 SMOH - "0" SMOH
 Major overhauled - all steel Part's +
 also overhauled by Aircraft Specialist
 of Tulsa, OK. all other by Dimeo,
 of Tulsa, OK. Replaced all bearing's
 Main + rod's - rod bolts nuts replaced
 all lifter's overhauled by Aircraft Spec's
 all gasket's + seal's - Oil cooler overhauled
 by Skyline Aeron - Oil pump housing
 by Dimeo of Tulsa - Hardware as needed
 - Mag's overhauled + New Harness + plug's
 fuel system overhauled by Aircraft Deciding
 of Tulsa, OK - Eng assembled per Cont Overhaul
 Manual + 1.2 qt Mineral oil - Ground run
 satisfactory. Prop Overhauled by Hirst
 Flight Propeller L.P.C. all tag's + #130-3
 in HC Paper Work. John D. Hirst
 #491726347

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking # ASI-153590	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. 2860 NORTH SHERIDAN ROAD TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K				5. Work Order/ Contract/Invoice 266518		
6. Item:		7. Description:		8. Part Number:		
1. GEAR		CONTINENTAL IO-470VO SUBASSEMBLY		9. Quantity 11		
				10. Serial Number N/A		
				11. Status/Work Order INSPECTED		

12. Remarks:
 PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-16E1 DT: 01 JUN 2016
 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION
 PART TRACKING NO: S266518-5

13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature		14b. Authorized Signature	
13c. Approval/Authorization No.		14c. Approval Certificate No. DD2R764K	
13d. Name (Typed or Printed)		14d. Name (Typed or Printed) Harold Lehman	
13e. Date (dd/mmm/yyyy)		14e. Date (dd/mmm/yyyy) 21 JUN 2021	

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority / Country FAA / United States	2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG	3. Form Tracking ASI-153588
--	--	--------------------------------


4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. 2860 NORTH SHERIDAN ROAD TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K	PHONE: (918) 836-6872 FAX: (918) 836-4419	5. Work Order/ Contract/Invoice 266518
--	--	--

6. Item:	7. Description:	8. Part Number:	9. Quantity	10. Serial Number	11. Status
1.	CONNECTING ROD	CONTINENTAL IO-470 SUBASSEMBLY	6	N/A	REPAIR

12 Remarks:
 PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-16E1 DT: 01 JUN 2016
 REPAIRED IAW ASI PROCESS 2000-05 REV 2 DT: 25 MAR 2003
 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION
 (IF INCLUDED, NO RETURN TO SERVICE DETERMINATION IS MADE FOR ROD BOLTS OR NUTS)

PART TRACKING NO: S266518-3
 NOTE: ASI = AIRCRAFT SPECIALTIES SERVICES, INC.

13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12	14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.
--	--

13b. Authorized Signature	13c. Approval/Authorization No. DD2R764K	14b. Authorized Signature 	14c. Approval/Certificate
13d. Name (Typed or Printed)	13e. Date (dd/mmm/yyyy)	14d. Name (Typed or Printed) Harold Lehman	14e. Date (dd/mmm/yyyy) 21 JUN 2021

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

STARVES 6518

1. Approving Civil Aviation Authority / Country FAA / United States	2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG	3. Form Tracking # ASI-153473
--	--	----------------------------------

4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K	5. Work Order/ Contract/Invoice # 266518
--	--

6. Item	7. Description	8. Part Number	9. Quantity	10. Serial Number	11. Status/Remarks
1.	CRANKSHAFT	CONTINENTAL IO-470VO SUBASSEMBLY	1	K008	REPAIRED

12. Remarks:

PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-16E1 DT: 01 JUN 2016
 PERFORMED DIMENSIONAL CHECK IAW ASPI REPAIR SPECIFICATION 1004 DT: 30 SEP 2016
 MEASURED ROD JOURNALS M010, MAIN JOURNALS M010 IAW ASPI REPAIR SPECIFICATION 1004 DT: 30 SEP 2016
 NITRIDE IAW ASPI PROCESS 0005 REV. 6 DT: 01 SEP 2005
 CADMIUM PLATE AND BAKE PROPELLER FLANGE IAW ASPI REPAIR SPECIFICATION 1004 DT: 30 SEP 2016
 POLISHED ROD AND MAIN JOURNALS IAW ASPI REPAIR SPECIFICATION 1004 DT: 30 SEP 2016
 MAGNETIC PARTICLE INSPECT COUNTERWEIGHTS IAW ASTM E1444/E1444M-16E1 DT: 01 JUN 2016
 INSTALLED BUSHINGS IN COUNTERWEIGHT IAW CONTINENTAL STANDARD PRACTICE MAINTENANCE MANUAL DT: 26 JAN 2018
 OIL TUBES INSPECTED IAW CMI SB 06-5 DT: 25 MAY 2006
 INSTALLED OIL CONTROL PLUG IAW ASPI REPAIR SPECIFICATION 1004 DT: 30 SEP 2016
 INSTALLED BUSHINGS IN COUNTERWEIGHT BLADES IAW CONTINENTAL STANDARD PRACTICE MAINTENANCE MANUAL DT: 26 JAN 2018
 INSTALLED COUNTERWEIGHTS ON CRANKSHAFT IAW CONTINENTAL STANDARD PRACTICE MAINTENANCE MANUAL DT: 26 JAN 2018

ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION

PART TRACKING NO: S266518-1
 NOTE: ASPI = AIRCRAFT SPECIALTIES SERVICES, INC.

13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12	14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.
--	--

13b. Authorized Signature	13c. Approval/Authorization No.	14b. Authorized Signature	14c. Approval/Certificate # DD2R764K
---------------------------	---------------------------------	---------------------------	---

13d. Name (Typed or Printed)	13e. Date (dd/mm/yyyy)	14d. Name (Typed or Printed) Harold Lehman	14e. Date (dd/mm/yyyy) 17 JUN 2021
------------------------------	------------------------	---	---------------------------------------

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority / Country FAA / United States	2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG	3. Form Tracking ASI-153589
--	--	--------------------------------

4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. 2860 NORTH SHERIDAN ROAD TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K	PHONE: (918) 836-6872 FAX: (918) 836-4419	5. Work Order/ Contract/Invoice 266518
--	--	--

6. Item:	7. Description:	8. Part Number:	9. Quantity	10. Serial Number	11. Status
1.	ROCKER ARM	CONTINENTAL IO-470 SUBASSEMBLY	12	N/A	REPAIR

12 Remarks:
PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-16E1 DT: 01 JUN 2016
INSTALLED NEW BUSHINGS IAW AS^{PI} PROCESS 0049 DT: 02 AUG 2013

ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION

PART TRACKING NO: S266518-4

NOTE: AS^{PI} = AIRCRAFT SPECIALTIES SERVICES, INC.

13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12	14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.
--	--

13b. Authorized Signature	13c. Approval/ Authorization No.	14b. Authorized Signature	14c. Approval/Certificate No. DD2R764K
---------------------------	----------------------------------	---------------------------	---

13d. Name (Typed or Printed)	13e. Date (dd/mm/yyyy)	14d. Name (Typed or Printed) Harold Lehman	14e. Date (dd/mm/yyyy) 21 JUN 2021
------------------------------	------------------------	---	---------------------------------------

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking ASI-156371	
4. Organization AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K				5. Work Order/ Contract/Invoice 267881		
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status:	
1.	LIFTER	SA628488	6	N/A	OVERH.	

12. Remarks:
OVERHAULED IAW ASI DRAWING 2002-01 REV. 5 DT: 17 SEP 2010
ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION
PART TRACKING NO: (1) ASR-11-10-20 (5) ASR-4-19-21
NOTE: ASI - AIRCRAFT SPECIALTIES SERVICES, INC.

13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input checked="" type="checkbox"/> Non-approved design data specified in Block 12		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature	13c. Approval/ Authorization No.	14b. Authorized Signature	14c. Approval/Certification No. DD2R764K
13d. Name (Typed or Printed)	13e. Date (dd/mmm/yyyy)	14d. Name (Typed or Printed) Harold Lehman	14e. Date (dd/mmm/yyyy) 05 AUG 2021

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority / Country FAA / United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG			3. Form Tracking ASI-156372	
4. Organization: AIRCRAFT SPECIALTIES SERVICES, INC. PHONE: (918) 836-6872 2860 NORTH SHERIDAN ROAD FAX: (918) 836-4419 TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K				5. Work Order / Contract/Invoice 267881		
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status:	
1.	LIFTER	SA646277	6	N/A	OVERH.	
12. Remarks: OVERHAULED IAW ASI PROCESS 0009 REV. F DT: 29 JUN 2004 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION PART TRACKING NO: (1) ASR-6-14-21 (5) ASR-6-21-21 NOTE: ASI - AIRCRAFT SPECIALTIES SERVICES, INC.						
13a. Certifies the items identified above were manufactured in conformity to <input type="checkbox"/> Approved design data and are in a condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature		13c. Approval/ Authorization No.	14b. Authorized Signature		14c. Approval/Certificate No. DD2R764K	
13d. Name (Typed or Printed)		13e. Date (dd/mmm/yyyy)	14d. Name (Typed or Printed) Harold Lehman		14e. Date (dd/mmm/yyyy) 05 AUG 2021	
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.						
Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.						
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

AUTHORIZED RELEASE CERTIFICATE

030821

4. Organization Name and Address:

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG
AIRCRAFT ACCESSORIES OF OKLAHOMA
2740 North Sheridan Rd
Tulsa, OK 74115

5. Work Order/Contract/Invoice Number:
WO 43223

6. Item:

7. Description:

8. Part Number:

1

MAGNETO

10-163060-1

9. Quantity:

10. Serial Number:

1

E26921

11. Status/Work:

OVERHAULED

12. Remarks:

THE PART IDENTIFIED ABOVE WAS OVERHAULED IN ACCORDANCE WITH FAA DATA. OVERHAUL MANUAL # X42002-4
WORK ORDER 43223 SHOWING THE ACTUAL WORK PERFORMED IS ON FILE AT THIS FACILITY.
COMPLIED WITH ADS 94-01-03R2 /2005-12-06

13a. Certifies the items identified above were manufactured in conformity to:

- Approved design data and are in a condition for safe operation.
 Non-approved design data specified in Block 12.

14a. 14 CFR 43.9 Return to Service Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

13c. Approval/Authorization No.:

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or Printed):

13e. Date (dd/mm/yyy):

14d. Name (Typed or Printed):

14e. Date (dd/mm/yyy):

Toby Nicholes

08-Mar-2021

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

In Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the regulations by the user/installer before the aircraft may be flown.

SERVICE BULLETINS

SB669, SB658

SB631, SB549

SB518

AD'S

94-01-03R2

2005-12-06

OH MANUAL#

X42002-4

P. O. # _____

SHIP VIA _____



OF OKLAHOMA, INC.

FAA APPROVED REPAIR STATION

CRS# RV3R829L

2740 NORTH SHERIDAN ROAD - TULSA, OK 74115

TOLL FREE 800 255-992 * PHONE 918 835-9924 * FAX 918 835-3681

OVERHAUL

REPAIR

EXCHANGE

-SALE

MAGNETO

MAINTENANCE TRAVELER

CUSTOMER PEGASUS AVIATION SERVICE LLC

WORK ORDER # 43222

DATE 3/5/21

P/N 10-163060-1

MFG.

BENDIX / CMI

S/N

J129420ER

Housing OK Bearing RPL Seal RPL Block OK Point RPL Condenser RPL Coil OK Gear RPL Rotor OK
Cam OK Coupling NA Brush RPL Assemble NK Test NK

PART # & NAME

QTY

COST

PART # & NAME

QTY

COST

NORMAL

10-40054AC	OIL SEAL	1
10-51678	SLINGER	1
10-391213	CAM SCREW	1
10-81806AC	BEARING	1
2-202AC	BEARING	1
AB-90751	COTTER PIN	1
10-357174	POINTS	1
10-400572	CAPACITOR	1
10-50752	FELT WASHER	1
10-163374	FELT STRIP	1
10-157134	VENT PLUG	1
10-157135	SOLID PLUG	1

OVER & ABOVE

10-357586	DIST. GEAR KIT	1
(GEAR KIT CONTAINS: GEAR, CARBON BRUSH, NYLON WASHER, FLAT WASHERS AND SNAP RING)		

NOTE:

LABOR HOURS _____

PARTS _____

LABOR _____


TOTAL _____

MECHANIC

INSPECTOR

1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG		3. Form Tracking Number: 040121	
4. Organization Name and Address: AIRCRAFT ACCESSORIES OF OKLAHOMA 2740 North Sheridan Rd Tulsa, OK 74115		5. Work Order/Contract/Invoice Number: WO 43225		11. Status/Work: OVERHAULED	
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	
1	FUEL PUMP THR-BODY CONTROLLER MANIFOLD	646212-3 632916-2 631351-10	1 1 1	J109412BR J079428AR J079407CR	

12. Remarks:
**THE PART IDENTIFIED ABOVE WAS OVERHAULED IN ACCORDANCE WITH FAA DATA. OVERHAUL MANUAL # AAO 1000
 THERE ARE NO APPLICABLE AIRWORTHINESS DIRECTIVES. WORK ORDER 43225 SHOWING THE ACTUAL WORK PERFORMED IS ON FILE AT THIS FACILITY.**

13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature:		14b. Authorized Signature: 	
13c. Approval/Authorization No.:		14c. Approval/Certificate No.: RV3R829L	
13d. Name (Typed or Printed):		14d. Name (Typed or Printed): Toby Nicholes	
13e. Date (dd/mm/yy):		14e. Date (dd/mm/yyyy): 01-Apr-2021	

User/Installer Responsibilities


It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.
 Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.
 Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority / Country FAA / United States	2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3 AIRWORTHINESS APPROVAL TAG	3. Form Tracking No. AS266517
--	--	----------------------------------

4. Organization: AIRCRAFT SPECIALTIES SERVICES, INC. 2860 NORTH SHERIDAN ROAD TULSA, OK 74115 FAA REPAIR STATION NO. DD2R764K	PHONE: (918) 424-4872 FAX: (918) 424-4429	5. Work Order Contract/Invoice No. 266517
--	--	--

6. Item	7. Description	8. Part Number	9. Quantity	10. Serial Number	11. Status/Remarks
1.	CAMSHAFT	655384	1	NA	REPAIR

12. Remarks
 PERFORMED MAGNETIC PARTICLE INSPECTION IAW ASTM E1444/E1444M-16E1 DT: 01 JUN 2016
 PERFORMED DIMENSIONAL CHECK IAW ASI REPAIR PROCEDURE 0812006 REV. 02 DT: 16 JAN 2018
 GROUND LOBES IAW ASI REPAIR PROCEDURE 0812006 REV. 02 DT: 16 JAN 2018
 APPLIED MANGANESE PHOSPHATE IAW ASI REPAIR PROCEDURE 0812006 REV. 02 DT: 16 JAN 2018
 ADDITIONAL INSPECTION MAY BE REQUIRED PRIOR TO INSTALLATION
 PART TRACKING NO: S266517-3
 NOTE: ASI = AIRCRAFT SPECIALTIES SERVICES, INC.

<input checked="" type="checkbox"/> 13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.		<input checked="" type="checkbox"/> 14a. Return to Service <input type="checkbox"/> Other regulation specified in Block 12. Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature	13c. Approval Authorization No.	14b. Authorized Signature	14c. Approval Certificate No.
			DD2R764K
13d. Name (Typed or Printed)	13e. Date (dd/mm/yyyy)	14d. Name (Typed or Printed)	14e. Date (dd/mm/yyyy)
		Harold Lehman	18 JUN 2021

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

4. Organization Name and Address:

Skyline Accessories, LLC
11315 W 57th Pl S.
Sand Springs, OK 74063 RSN #Y5KR213B

5. Work Order/Contract/Invoice #

18135

6. Item:	7. Description	8. Part Number	9. Quantity:	10. Serial Number:	11. Status Work:
1	OIL COOLER	652759	1	SA4944	Overhauled

12. Remarks:

THE WORK PERFORMED WAS ACCOMPLISHED IAW SAP 1010. THE WORKORDER (SEE BLOCK 3 TRACKING NUMBER) DESCRIBING THE WORK PERFORMED IS ON FILE AT THIS REPAIR STATION. A COMPLETE DESCRIPTION OF WORK PERFORMED IS ON FILE AT THE ABOVE REFERENCED ORGANIZATION UNDER THE WORK ORDER AND SYSTEM TRACKING REFERENCE NUMBER INDICATED IN BLOCKS 3 AND 5.

NOTICE: AN AIRWORTHINESS DIRECTIVE MAY APPLY TO THE ARTICLE(S) DESCRIBED HERON. THE INSTALLER IS RESPONSIBLE FOR ENSURING COMPLETE COMPLIANCE WITH ANY APPLICABLE AIRWORTHINESS DIRECTIVES.

"SKYLINE ACCESSORIES, LLC CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11 AND 12 WAS PERFORMED IN ACCORDANCE WITH EASA IMPLEMENTATION RULE PART 145 APPROVAL, AND WITH RESPECT TO THAT WORK, THE AIRCRAFT COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA APPROVAL NUMBER EASA.145.6762"

<p>13a. Certifies the items identified above were manufactured in conformity to:</p> <p><input type="checkbox"/> Approved design data and are in a condition for safe operation.</p> <p><input type="checkbox"/> Non-approved design data specified in Block 12.</p>		<p>14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service</p> <p><input checked="" type="checkbox"/> Other regulation specified in Block 12</p>
<p>13b. Authorized Signature:</p>	<p>13c. Approval/Authorization No:</p>	<p>14b. Authorized Signature:</p> <p><i>Bryan Herman</i></p>
<p>13d. Name (Typed or Printed)</p>	<p>13e. Date (dd/mm/yyyy):</p>	<p>14c. Approval/Certificate No:</p> <p>Y5KR213B</p>
<p>14d. Name (Typed or Printed)</p> <p>Bryan Herman</p>	<p>14e. Date (dd/mm/yyyy)</p> <p>09/Jun/2021</p>	

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority/Country: FAA/United States

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

WDC #129510

4. Organization Name and Address: DIVCO, INC., 2806 N. SHERIDAN ROAD, TULSA, OK 74115 (DB2R/62K)

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	CONT IO-470 CRANKCASE	CASTING # 649042	1	MATCH #1139408RS	REPAIRED

12. Remarks:
 SLEEVED LIFTER BORES & GOVERNOR BORE AND REPAIRED #1 CAM
 CRANKCASE REPAIRED PER DIVCO APPROVED PROCESS SPECS 77-002 REV. 6, 18 JULY 2017
 DATE COMPLETED: 13/AUG/2021
 WDC #129510

WORK SPECIFIED IN BLOCKS 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND WITH RESPECT TO THAT WORK THE COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA PART 145 APPROVAL NUMBER EASA 145-5286

13a. Certifies the items identified above were manufactured in conformity to:
 Approved design data and are in a condition for safe operation.
 Non-approved design data specified in Block 12.

14a. 14 CFR 43.9 Return to Service Other regulation specified in Block 12
 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:	13c. Approval/Authorization No.:	14b. Authorized Signature:	14c. Approval/Certificate No.:
	DB2R/62K		DB2R/62K
13d. Name (Typed or Printed):	13e. Date (dd/mm/yyyy):	14d. Name (Typed or Printed):	14e. Date (dd/mm/yyyy):
JOSEPH ANDREW BROWN	13/AUG/2021	JOSEPH ANDREW BROWN	13/AUG/2021

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.
 Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.